EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	kernel with file and header with file and queue and (lock$4 and unlock$4) with header	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:03
L2	18	header near file and queue and (lock$4 and unlock$4) same header	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:03
L3	5	L2 not L1 and retriev$4 and process$4 and stor$4 same inde$4 and tim$4 with queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:05
L4	1	"6718327".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:05
L5	15840	file with header	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11
L6	284	header with (count$4 total$4 sum$4 number) with (empty available free) with (slot location entry field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11
L7	1076	header with (count$4 total$4 sum$4 number) with (fill$4 process$4 examin$4) with (slot location entry field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11
L8	166	header with offset with (fill$4 process$4 examin$4) with (slot location entry field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11
L9	59	header with offset with (empty free available) with (slot location entry field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11
L10	409	header with queue with priority	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11
L11	1	(L5 and L6 and L7 and L8 and L9 and L10)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:11

EAST Search History

L14	1	(L5 and L6 and L7 and L8 and L9 and L10)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:20
L15	9	kernel with file with header and (count$4 total$4 number) with ((empty free available) and (slot field) and total) and offset	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:20
L16	2	kernel with file with header and header with (count$4 total$4 number) with ((empty free available) and (slot field) and total) and offset	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:20
L17	7	L15 not L16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:21
L18	2	paul near2 edmonds.in. and kernel and lock$4.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:21
L19	2	message with queue and ((empty free available) and unread and (pend$4 process$4)) with (slot) and queue with (architecture requirement function$4 mechanism)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:21
L20	2	L18 L19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:23
L21	5	L2 not L1 and retriev$4 and process$4 and stor$4 same inde$4 and tim$4 with queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:22
L22	13	"707"/$.ccls. and kernel near file and header and lock$4 and queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:22
L23	15	"709"/$.ccls. and kernel near file and header and lock$4 and queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:22
L24	26	L22 L23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:22
L25	49	paul near3 edmonds.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:22

L26	1	file with header and header same (count$4 total$4 number) with ((empty free available) and (slot field) and total and offset and (queue with priority))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:24